


SPECIMEN RECORD # 3 KURE JS. MIDWAY J 5.

7530-222-3525
FEDERAL SUPPLY SERVICE







		the state of the s					Xumber 20272 20273
	All Rathus				Falmarus glacialis	20183 2020	17H1
	Field No. Species	Age -	SeX	Measurem ents	Plomedia immutabilis 80 cross Migripos	20184	
	20430 Mus miuscalus			168-86-22-15 13gms.	Fregata minon	20107	IXLI III
	20431 Diomeden immut abilis	A		505-140-112-91-122 1157gms 167-84-23-13	A six flammeus		
	20432 Mus musculus			The state of the s		20186	1
	20433 Mus Microlain				Diomedes immutabilis		M
		DATO		40-0-40-35-43 95.1	Pluvialis dominica		N//
	10773	14±3 embryo	u		Syla dactylatra		M National Control of the Control of
	remarame hypoteuca	9±3 days	u	2 27 29 427			MM MM 111
				50-0-45-38-43	Puff.	20195 (2 0200)	PHI MIL WILL WILL
		Aay		127.39	Paffinus pacificus	20219 20226	20312 Check identification
	20439	A	m	239-115-37-10-29 83.89	Phaloropus fulicarius		IN HATH HA HAIII
	20441	A	9	2832. 0	Tallcavius	20198	(
		A	1	221-110 27-20-00	DIBMedea nigripes		1
	20442	1 month		45-0-49-45-50 5715 grus	Phoe than rupricagala		NIII VIII
	70112		u	430-167-56-61-76 1421.5	Marcey alpin		HH MY
		A	29	176-108-18-29-30 58.4gm	54 M 212	20220	1
	20445		1.1	377-184-23.5-56.5-71.5: 9	gu revicana	30221	
		Imm		440-169-63-73-75 1204.25gm	. Evalig elping	20222	
		Imm	u	461-187-55-59-70 948 gms	6,00		
		Imm	U	H05-157-505-61.5-735 1248.	albq	20223	1
	20450 /:	AD.		451-182-57 - 65 - 76 973 gmo	Copella stenara	20225	
	20451 Misc. Crabs & worms				Deeano duoma casto		
	20452 Fish & squid	/4	-	100 1	Sula leucogaster	20228	
	72.0453	A					XX 1111
	20454	A			Sula 5419		77/11
	Sula dactylatra	N		235-101-31-13.5-28.5 99.8	Sterna lunata		
	20456 Gygis alba	35-40 dam	u	235-101-51-13.5-28.5 11.0	Anous stolidus		NII Nu
					Puffinus nativitatus		LAN LAN
Town or the same	12458 Sula dactylatra	Imm	u		allinus nativitatus		1151


	Field #	Kumber
Falmarus glacialis	20187 20204	20272 20273 MH1
Falmarus glacialis Plomedia immutabilis FO eross Migripos	20184	
Fregata minon		CXLL 111
A six flammeus	20186	
Piomedeg immutabilis		· M
Pluvialis dominica		M
Syla dactylatra		MHMIII
Pterodroma hypoleuca	20195 (2 0200)	MUMM MM MMI 20312 Check identification
Paffinus pacificus	4 0219 20226	1 NAMUNA MAIN
Phalorspus fulicarius	20198	(
Plomedeg nigripes		1
Phoe than rubricagada		TH IN
Marcey alpina	20220	
Marcea gurevicana	30221	1
Enolig elping	20222	1
Evocethia alba	20223	1
Copella stenara	20225	1
Oceano dvoma casto	20228	1
Sula leucogaster		XXI (1) II
Sula Syla		TX1 11
Sterna lunata		(1
Anous stolidus		HW M
Anous stolidus Puffinus nativitutus		1157


Sterna-fuscata		HIM IM IM
Sterna lunatq		
totanus flavipes	20282	1
A renavia interpres		M
Polteral	20287	1
Numanius tahitiensis		11
Evoluia melanotos	20311 20309 20310 20369	1/1/
Limnodromus	20366	
Heteroscelus incanus		
Aythy'a fuliquela	20372	11
Erolia a cumin ata	20370	1
Circus cyaneus	26371	
Gygis alba		1
Anas acuta	20379	1
Larys	20382	1
Duct	20383	7
Larus glaucescens		

- All Rathus Date hocation Remarks Collector Measurem ents Field No./ 13gms. P.A. worth Green Island, Kure Atoll 2-10-65 168-86-22-15 Stin & Steleton . Never bred 20430/Mus muscalus 115 7 gms .S. STANDEN SKIN 2-11-65 Immut abilis 505-140-112-91-122 20431 Diomedan ingrapes 167-84-23-13 SKIN 2-12-65 D.A. WORTH Parasite # 335 20432 Mus musculus Discorded S.S.D. not Mus 24.8g D.A. Worth 2-15-65 SKIN 5 20433 Mus Mustelis C. Keplen 2-13-65 breen Is, Kure ATOIL 5Kin Paraste # 336 176 -55 -23 - 42 -31 95.1 Pluvialis dominica 286.5 R. STANDEN DATO 2-15-65 found dead in nest. 40-0-40-35-43 14-3 Contra Education cracked AND Abandoned egg 40435 u R. Standen 2-17-65 em bryo opened + preserved in alcohol. Pterodroma hypoleuca tound dead at So Point K. ## 43 R. S. Standen 2-19-65 36-0-37-29-42after heavy rain. 20437 days Chiel tound on E. Bch. in scaevalu near nest. R. S. Stander 2 -2065 50-0-45-38-43 20438 days 127.32 C. Kepler 2-24-65 Found dead - antenna Kill 20440 4 83.89 C. Kepler Stomach only (+ blood), budly dumaced Blood savasites stomach. 2-25-65 239-115-37-10-29 20440 2832. a.R.S. Standen 2-26-65 20441 168.4g C-Kepler 2-26-65 ANTENNA CHS SAlty, PAIASITES 379 A 221-115-25-25-35 NAF mean obs. town. 20442 5715 gro . S. Standen. 1 month 2-27-65 SKIW. U 45-0-49-45-50 So. Pt. - probably shot on 2-23 & was hed as here.
NAF. Antenna Casually 20443 1421.5 A. Anderson 3-1-65 430-167-56-61-76 Imm 204-44 58.4 gns 7. Anderson 3-1-65 oveduct enlarged. 7 176-108-18-29-30 SW Beach real Kadar tower 20445 71.5; 9 Standen 3-7-65 1 377-184-23.5-56.5 1204.75gm. FLEET 3-07-65 SKIN 440-169-63-73-75 Imm 948 gms, leet. 3-08-65 461-187-55-59-40 SKIN u Imm 1248 Anderson STANDENT HO5-157-505-61.5-735 3-09-65 SKIN Imm 21449 973gmo FLEET 3-09-65 451-182-57 -65-76 20450 Auderson 3-12-65 Taken off fish float, 1. Seach Misc. Crabs & worms 20451 Thrown up by P. rubricauda 3-8-65 Fish & squid 20452 682.4 . Fleet 3-17-65 Found on nuway Parasites taken 268-173-51-39-58 Huy = i = -70453 494 g l.Fleet 3-19-65 Found near pond. ti ti 269-147-54.5-44.5-58 20454 65.7 hAnderson 3-24-65 found dead in hest. Sula dactylatra antenna Casualty 10755 99.8 ? Standen 3-24-65 235-101-31-13.5-28.5 Gygis alba 1. Anderson 3-27-65 16 found dead Chik Imm. Diomedea immutabilis Imm u Je 458 Sula dactylatra


F1640#	SPECIES	A66	SEX	MEMSUREMENTS	5	COLLECTOR	DATE	- LOCATION	REMARKS
	Fregata minos	A		630-402-128-22-79		R.R. Flut	30 Marca 65	Guento. , Kure atall	Shin -
	Fregata minos	A	9	628 - 475 - 124 - 20 - 75	5005.	R.S. Standen	30 March 65	11	Shim
	LH295 0P.	Imen		453-175-52-71.5-65	907.5 gm.	R.R. Heet	1 april 65		Skin setoparante
	MONACHUS SCHAUINSLANDI	Juv.	9	453-175-52-71.5-65 TAIL 2", TL 30", GIRTH 1912", WT. = FF814, HF (misicle) 8/2, (outside) 83/4, (PAN) 113/4,		1	()	Skin setoparante (probably solled on by mother). Skin, skeleton.
	E. II. I william Chil	A			1			Sand do., Midway atall	5 kin . no wt. or sex taken.
	PUFFINUS PACIFICUS	A		303-142-38.5-51-61.5;		R.R. J. leev	16 April 1965	Greens., Kure Stall	5 kin.
20465	RUFEINUS NATIVITATIS	A	U	254-92-31.5-46-50;	903.			41	Skin . Died from blood sampling.
20466	-78 La	R	U			R. R. Flast	ZMorca 65	Sand do., Midway Stall	Shai , found dejung - stawed.
20467		A	V			a.o. watz	28 March 65	**	Ikin
20468	Morachus Schauinslandi	- A_	и			Wislocke Sundell	27 June 1964	Green Is, Kure Atoll	skeleton - Sound dead
20469	11 plu 6 C. 1 5 1 1.	A	u	TI 43 620 FF 75 HF 408	5 hu 875	WIETZ		SAND IS. MIDWAP ATOLL	skeleton - Dead on runway
20470	Monachus Schaumslundi	Ju	7	TL 43 GQO FF 12.5 HF up 8. T 214 wt. 36/As	5 14 6,75	WIRTZ	15 May 1915	Green Is., Kure Atoll	skin & skeleton, vendrom
20471	Monadus schaumslandi	7	9			WIRTZ	12 May 1965	Green Is. Vive Atoll	skin + sko. No. 374 skeleton — found decomposing on
20472	luiting griseus	A	u			Bratley	18 May 1965	Green Is., Kure Atoll	beach at K18; All black, white underwing, 19.6,1/1
20473	Sela deneral Land	A	Ц			Bratley	121	Green Is, kure Atoll	Skeleton — found decomposing on SE beach; feathers matted with oil. egg attached to Loviduct greatly enlarged egg 28x20 skeleton — found decomposing on SE beach; feathers matted with oil.
20474	Are	A	9	276-164-44.5-25.5-42	218 g ms	Bratley	1 - 1		3 Ke/e/8 ~ , ec/o para siles; 6/000 /g. ova 3.3
20\$75		A	7	268-151,5-44-26-40	155.3 g ms	Bratley	1	11	Skeleton; ectoparasitas; blood 19. ova 3mm in skin - bill blackish, yellow-green at base; legs
20476	Truga years to	A		122-52.5-30.5-42-36	44.0 gms .	D.A. Bratley	22 May 1965		detect yellow-green; eyesshot out. length of body - 205 mm In north antenna field
			Assertations						wing spread - 38/ mm among Enquestis variabilis It is brown; bill red-orange, apper feet gray
26477	Phasele Leaders	(7		ut. 511 5m				Green Island, Kure Atoll	Toos + webbing black; broken wing 5km
20478	= - = /= -	A		387-230-79-39-74	1022.8 gms	Brutley-Heryford	27 May 1965	Green Is., Kuro Atoll	skin-Band No. 737-45157 ectoparaites found in sand at low tide zone an
20479	Sier Willelie polyante			Complete body of one ; head of an	ther	- 1/	31 May 1965		found in sand at low tide zone. an cel-like fish, Family Ophichthidae
20480	Light Land	A	h A	384-201-87-39-77 589-345-105-21-76	984.3 gms.		3 June 1965		skin - ectoparasites, McBee.
20481	Linguis record	Imm			1394.3 gms	- "(3 June 1965	-	skin - retoparasites, Mr Boe
20482	Exception verific	Imm	F	570-381-(27.5) 21-74	1623. 39ms	<i>II</i>	- 11	(/	skin - octoparasitos, McBoe
	tag destroyed								to soil daily found by wints Add ((A the sail)
	Grand Millian	A		281-164-39.5-26-41	186.4 gms	Bratley		Green Island; Kure Atoll	skin - blood, McBee, ectoparasites #772
20485	a alla suriant.	A		301-337-66-29.5-47	569.1gms	d	1 July 1965		skin - Mc Bec, ectoparasites #792 Snail found crawling on my leg. Picked up somewhere on island. Q.A. Bratley.
20486	- LL LESS SELECTION					- L į	27 July 1965		somewhere on island. Q.A. Bratley.

Field# species Age sex Measurements Collector Date Location Remarks 20487 misc. fish species Bratley Ang.3, 1965 Green Island, kure Atoll Caught in Lagoon	-all in small vial
	-all in small vial





ECTOPARASITES



Numb	ver, Reference #	Species	Age	Sex	Collector	Date	Locat	/ðn	Collection Location Remarks
319		Rattus exulans	_	_	D.L. Stadel	The second second second		Kure Atoll	Rat Area A.L. Station A-1
320		Rattus exulans	_	_	11	Feb 5, 1965	11	/t	Rat Area A.L. Station A6
32/		Rattus exulans	_	-	U	Feb 5, 1965	b)	11	Rat Area A.L. Station A-12
321	2	Eragrostis Variabilis	_	-	11	Feb 7,1845	И	tr	South Antenna Field Berleze of Litter
323	3	Fragrostis Variabilis	_	-	11	11	11	u	11 11 Berleze of Litter
324	/	Eragrostis variabilis	_	_	11	11	n	i.	1 1. 11 perleze of Litter
325		Mus musculus Erograstis variabilis	S-A	9	D.A. Worth	Feb10,165	f.	L _F	Station Grounds Killed by Bridgett
326		Erograstics variabilis I pambea Indicia	_	_	ph Stadel	Feb 9,1965	()	(s.	South Antenna Field Benleze funnel
327		11	-	_	DL Stadel	Feb glass	4.0	ž.t.	11 II W
328	-	M L1	_	_	D.L. Stadel	Feb9, 1945	1,	11	JL 14
329		RAHUS exulans	-		R.S. Standen	Feb 9, 1965	16		RAT AREA AL Station # -1 Berleze of Litter
330		4.(_	- e /	Feb. 9, 1965	u	-71	11 " 11 H-6 11 "1
331		41	-	-	-1-	и 1.	6 Ç		11 11 11 H-12 11
333		Diomedia Migripes	_		RS. Standen	FEB10, 1915	26	4	South Point hitter about NEST - Berleze
333		11	_		te te	,c ,	44		si i. i.
339	_	11			te se	12 12	·	7.,	te e e e
335		Mus musculus	A	8	D.A. WORTH	12 FEB, 1965	t t	11	(0.0.'s quarters - died next day
39		Pluvialis dominica	A	9	C. KEPLER	FEB 18, 1965	1.	6	Central voost nearlab. found dead
33		RATTUS Exuleus		-	R.S. STANDEN	12 FEB, 1965	ts	. 1	RAT AREA AL STATION # L 1 Berleze
338		1		_	*.e	٠.	4.	*,	" · · · · · · · · · · · · · · · · · · ·
339		4,			11	**	**	4.4	
	737-93016	Black-Sooted Albatross	A	U	C. Kepler	15 Feb. 165	10	14	Found in bans, bird barsed after being banded.
341	FW5	-15 (1	A	U	A. Anderson	15 Feb. 1965	11.	11	Southwest seach
	FWS 737-47211	The Desire of the Control of the Con	4 41	tj	R. Standen	0	1.0	7)	11
	FWS 737-94572		11	11	A. Auderson	1+	1-	-21	7.5
	FWS 737-92612	n	11	TI	tr	Tr	(1	41	
345	FWS	11	1.0	11	.11	11	TH.	n	Tr.
346	cials	in the	1.7	r.	R. Standen	u	ir	4)	11
	FWS 137-93752		ţı	11	11.	11.	r.·	11	1).

	90112	Species Black-footed albatross Monachus schauinslandi Diomedea immutabilis """"""""""""""""""""""""""""""""""	Age A — A	Sex U	Collector A. Anderson R.S. Standen R.S. Standen	Date 2-15-65 2-15-65	Green 1s	Locali sland, Ki		11	- Collection Locality Southwest Seach	Remarks
348 FWS 697- 349 — 350 — 351 — 357 —	90112	Black-footed albatross Monachus schauinslandi Diomedea immutabilis """"""""""""""""""""""""""""""""""	A		R.S. Standen	2-15-65		sland, Ki	ire Ato	11	Southwest Seach	
350 — 351 — 357 —		Monachus schauinslandi Diomedea immutabilis	A									
351 - 357 -		Diomedea immutabilis	· tt					LE				m litter of water
367 -		16 44	· tt	.,		2-15-65	и	**	1.	**	north Antonna field Berleze In	om litter
TO L	-				Tr.	i.	ć,	* 4	· c	4.		es in
			61	£4-	il	61	4	le	/-	(C.E.	4.	to one t
353 -		Diomaden immolabilis	A	U	C. Kepler	2-19-65	16	ri	4.5	211	a. BIL 6/ACK - Neck, others weck + b. WIND - base of secondaries	Blood K76
354 —		Solanum	_	-	A. Auderson	2-17-65	70	11.	44		Soil of Solanum patch 20'S. LORAN ente	
355 —	_	11	_	_	11	"	116	14	r _A .	je.	*/	
356 —		3 P	_	_	ic	j.	T.I.	11	1,	-11	11	
357 -		Boerhavia?	_	_	R.S. Standen	2-20-66	**	+1	+1	, i e	Sooty TERN nestury anew m' Centra	I Roost Berbere
358 _	_	Scaevola SAME	_	+	1.0. State (2)	+ +	11	/1	7/	C)	it it it	rt et
359 -	_	Tribulus)	_	_	1.7	7.1	450	1)	**	11	at it is in	* 4
360 —	-	Laysan albatross.	A	U	C. Kepler	2-21-65	ix	ir	41	1.1	South antenna field; parasites for	rom head & neck
361 -	-	Boerhauia)			R.S. Standen	2-22-65	**		**	1.4	Sooty TERN Nesting area of Centr	al Roost Berleze
362 -	_	Scaevola (ALL SHOME	_	_	11	. 1	*1	.1	41	f = 1.	31	* /
363 -	_	Tribulus		_	t 4.	4 +			4 7	. **	ar er	
364 —	-	Tribulus	_		A. Anderson	2-24-65	41-	ė.	"	i.e.	46.	***
365 -	_	ž).	_	_	76	"	, in	Kr.	+161	21	at the state of th	14.
366 —	_	*()			-14	**	er.	1.71	je	10	++	
367 -	_	Solanum			+/	2-23-65	7:	11	**	**	Laysan nestring area, South Anten	na Field "
368 —	_	11		_	+1	27	+1:	XX.	11	21	Pi Pi	45
369 -		11	_	_	ž.	7 %	4.8	r	J.		41	tr.
370 5 FWS	34033	Black-footed alsatross	A	U	Kepler & Anderson	2-24-65	/1	И	11	11	Southwest beach	McBee & Blood taken
371-6 737-9	94867	11	11	-11	0	111	4.5		1.1	ŧi	'n	**
372 FWS 137-9	93151	10	и	t).	11	н	11	11	"	rt.	İv	11-
3736 FWS 737-4		41	- tt	71-	n _ =	- 4	1).	r _C	71	ti	11	H
374 FWS 597-8		To.	A.(-12-	AT	(1)	- (r	7.4	C.	r.,	-P	t/
- 375 FWS 597-8		tī .	(i	(1-	41	4.7	1 11	4.7	31	4.4	- (2-	**
376 FN 20	1	Diomedica Nibriges	A	U	Keplen - 5 TANDEN	2-26-65	4	11	4	ч	Nw beach b. body c. win	6-S. I
		e contract of the contract of			Lebun - Similar	1 100						

III ,	Vo.	, Roseronce #	Species	AGE	Sex	Collector	DATE	Loca	tion			Collection Location
3	77	737-93208	Diomodea Nibripes	A		Collector Anderson Kepler - Stander	2-26-65	No 6- Freen				a. hend b. body c. wines
		FW5 697-90168	11	A		Kepler 1 STANDEN		71	11	h	F ¢	a. head b. body c. wines
		FN 20442	Pterodroma hypoleuca	A		C. Kepler	1,	t c	71	11	+/-	a. Throat b. body (inc. weik),
	80		Tribulus		-	A. Anderson	2-25-65	/s-	14	3.4	71-	Sooty tern nestring area of cent. roost - Berleze
7	581		1/	-		11	٠,	71	41	T i	+1	It to
3	82		ti-	_	_	11	21.6	4.7	rt.	11	t/	n. If
11 3	83	~	Solanum (dead)	_	_	n	2-27-65	. //	11	4.4	1-1-	
3	84		1/			110	11	t/.	7 (+1.	1.7	η
	85		1/			19	i.	2.7	11	j.e	* i	7.6
7	86	FN- 20444	LARUS Se	Imm.	u	ANDERSON Standen	3-1-65	+1	11	* 4	4	a: Head b. body c. wing's
3	87		Solanom (live)	_	-	A. Anderson	2-28-65	· · ·	/.1	15	it	Sooty tern nesting area of central roost "
3	88		ET.	-	-	1/	11	1 /1	11	ţŢ	T.I	11
	89		11	-	-	20	1/	- 4 *	()	U	1 t	
3	90	Field No. 40445	Oceanodroma markhadi	A	9	П	3/1/65	Le	45	٨	11	a: Head b: Wings North Ant. Field - LORAN Disablement
111111111111111111111111111111111111111	91	H	· Sula dactylatra	A		11	3-2-65	h	it	1.7	4 r	Nest in South antenna field Berleze
3	92		Burrows of Pterodroma hypoleuca	-	-	A. Anderson	3-1-65	T _l	İt	11	W	Sand samples from empty (?) burrows Berleze
3	93		TI .		_	11	17	11	11	11	-17	7/
	394	-	11	_	-	11	jr.	11	e r	11	7+	"
3	95		Puffinus pacificus V	_		H	3-2-65	27	17	1,1-	11	Soil from apparently empty burrow, Field "
3	96	-	11 til. 1		_	41	Tt .	T _L	11	Tr.	7-6	11 11 11
39	77		Ptero droma hypoleoca &	A	U	11	3-3-65	1/	11	11	11	Ant. kill, North Ant. Field a head b body c. wings
	98	1	n 1' n 1	-		W	1-1	(+	-1:1	10	1.1	Litter & dist from active Bonin Is. Surrows Berleze
3	99		<i>11</i> ≠	_	_	11	11	-1	£ (11	11
4	00	_	Sula dactylatra	A		71	41	1.0	£1	1)	F-1:	Sand from active nest South Antenna Field " Blood & paragetts"
4	01	737-45325	Sula sula	A	8(3)	R. Fleet	3-4-65	H	11	i.	, A	Neck + body
4	02	737-45520		A	U	R. Fleet	3-4-65	(2	ve.	1.	t.	Bloods parasiles A. Body B. wings
6		737 -92917		A	3	R. Fleet	3-5-65	1		se i	Le 6.	Blood + puras tes A. Head B. Body C. neele.
4	04	737-4549		A	9	A. Anderson	3-5-65	1 *		1_	Ci ti	A. Body B locus
		737-92918	11	A	9	R.S. Standen	Ti	**		17	te +,	Blood and parasites () A head B-Body C: wwgs
Z.S.S.												

#		Reference #	species	Age	Sex	Collector	DATE	1 ocation			Collection Location' Remarks
			Frigata minor	A	~男	A. Anderson	\$ 3-5-65		land, Kure		
4	f07	635-21294	Phaethon rubricandia	A		R. Fleet.	3-5-63				1212011 TC-1818A.
			Diomeden nignes	A		R. F.Fleet	3-5-65	h	и 4.	<i>ν</i> /	A-Head B-Body E. Wing D-Tail Blood taken A-Head-B: Body, E-Wing
			il ul	1		R. Standen	3-5-65	'n	1		
_			sula leucogaster -	A		A. Anderson	3-5-65	- //	11	٤.	Bled + parasite from
-			Stenna fuscata	A		R. Fleet	3-6-65	и	e +	· · ·	Bled + parasite from B-wing Bled + parasite Bled + parasite Bled + parasite A - Body
						-R. Fleet	. 3-6-65	ι,		e, 40	Antenna Casasty e-wmy.
41	13		Diomedearngripes Solanum			A. Anderson	3-4-65	L(Soil from sooty term nesting area, central roost Berleze
4.	14		ι,			6.1	11	<i>F</i> \	s (, ,	
4	15		<i>(1)</i>			(:	* *	<i>t</i> 1	11	. 1:	
4	416	793-21282	Pterodroma hypoleuca -	A	U	R. Standen	3-7-65	ı l			Blood + Parasites from A-Body; B-Tail
4	-17	493-21283	· · · · · · · · · · · · · · · · · · ·	A	U		1 (and .	1.	e e %	" A-Body wing e Tail.
4	18		(Bare sand)	-	_	A. Anderson	3 -6-65	/2) i	11 //	Exposed sand from Sooty tern nesting area Berleze
	19		√	_	_		71		, , , ,	, /7	11
4	70		Solanum	_	_	/1	13	(1	// / / /	1 1	Soil from Sooty tern area, Solanom patch " Blood + paraeites
4:	71	#20447	Larus sp.	Imm	И	R. Fleet R. Standing	3-7-65	4	\$ c L E	· 4	from A-head B-body C-wwg Blood + parasites
43	77		Phaethon rubricanda	A	9	Fleet	3-7-65	1	1.6 1	t # #	A-Body Bury C-tail
47	2.3	635-21295	Phaëthon rubricauda	A	u	Fleet	3-8-65	¬-	٤,	s.c	Blood + parasites from A-wing B-Body-C-Tail. Blood parasites from A-wing B-Body-C-Tail.
40	24 :	#20448 !	harus occidentalis?	Imm	u	Fleet	3-8-65	1		to k	Blood, parasiles A-HEAD, B-Body, C-Wing.
*	*	737-93031	Diomedea nigripes	A	U	R. Standen	3-8-65	-,	Į,		Blood, parasities A-HEAD, B-Body, C-Wing. Blood, parasities A. Body B-wing
. 4:	26							-			
4	27	737-93032	Diomeda nuripes	A	u	R. Fleet	3-8-65	. u	u u	L &	Blood, parasites A-Body, B- Head, C-wing.
48	28		Scarvola			A.Anderson	//	t-		1/	Litta under Schevole, Soon ten area Berleze
42	39		11 V	_		1/		<i>t</i> t	()	t /	n
43	30		(1	_		11	1.	vi	1.	1'	
4:	31	20449	Larus (sp.)	Tum	u	A. Anderson	3-9-65		11 15		collected from head.
			RTTB	A	U	R. Fleet	3-9-65	- (1	() (,	1 /	A-Body, B-wing, C-tal Blood taken
4:	33	636-21296	RTTB	A	u	R. Fleet	39-65		(1	1 1	A-head, B, Body, C Wing-Tail Blood,
4:	34	737-98430	Sula sula.	A	u	R. Fleet	3-9-45		(1 (1		Wing Blood

# Référence Species	Age	Sex Collector	DATE	h « Cation	Collection boxation of Parish	
435 635 21297 Phajethon rubricanda	A	u R. Fleet	MAR 9 1965	Green Is., Kure Atoll	Blood taken. Here A-body, B-wing, C-tail.	
436 Tribulus	v -	- A. Anderson	3-8-65		Soil from Sooty tern area, Central Rossit	Berleze
437 - "	v -	- 11	4.1	1.1	11	11
438 -	v -		1 1	11	* 1	/1
439 737-91388 Diomedea nigripas	A	O R. Fleet	3-10-65	t.	Blood & Paraectes A-Body - B-wwg Bloods A. Body, R. Wwy	
439 737-91388 Diomedea nigripas 440 737-93978 "	A	U R. Standen	3-10-65	£ (Bloods A. Body R. William	
441 — Verbacena		- A. Anderson		L1	Soil from Sorty tem area	Berleze
44/2	v	- /1	/ 1	1,	4	1 1
443 — 1/	v		/ 1	į t	t (′/
444 635-21298 Phaë thon rubricanda	A	u R. Fleet	3-11-65	(,	Blood + A-Body B-wing C-Tail.	
445 635-21300 . "	A	W 4	3-11-65			
. 446 — Tribulus (live)	2	- A. Anderson	3-10-65	l 1	Soil from dead Tribulus, Sooty Tem area, Cent. Roos	st Berleze
447 "	V		1	11	11	11
448 — "	-	/ ·	11	(1	71	<i>,</i> '
449 - Fribotos Solanum	L	'(3-11-65	t t	Soil from Sclanum, Sooty Tern area, Cent. Root	- 11
450	v	- 11	//	1)	11	/ /
457	v -	11	11	/ t	11	′1
452 D'iomedea nigripes	A	i RFleet	3-14-65	N.	(a) Head (b) Body (E) wing Blood taken (a) body (b) wing Fail Blood taken	
453 635 21302 Phaethon rubricanda	A	U R. Fleet	3-14-65	N M	(a) body wing fail Blood taken	
454 - Boerhavia	V	- A. Anderson	3-13-65	′,	Soil from Sooty tern area, Central Roost	Berleza
455	·v		11	t i	11	1.1
456 Chis	<u> </u>	- 11	1 1	1/	· · · · · · · · · · · · · · · · · · ·	- (1
487 737-92921 Sola sola	A	U 11	3-15-65	(/	Body Blood taken.	
458 737-93033 Diomedea nigripes	A	U R.Fleet	3-15-65	- 11	Blood taken A-Head, B-Body, C Blood A-hard, B-Body, C	+ 1
459 737-93034 Diomeder nigripes	A	u RElect	3-15-65	u	Blood Blood - head - B - Body	
460 737-45304 Sula Sula	A	u RFleet	3-15-65	1 65	Blood A head - B body - C - work.	
461 635-21303 Phaëthon rubicauda	A	u R. Fleet	3-15-65	11	Blood Bird died band used over Blood Body B- whigh C- tank	
462 587 -27113 Diomedey nigripes		U P Fleet	l 7	71	A-Body, B-Wing Blood	
463 \$131-95820 "		u A. Anderson	L		A Body, B-Wn	

	A	P C	Charina	Ago	Sex	Collector	Date	Local	ty	Collection Location; Remarks
1000		Reference	Scaevola.			A. Anderson	3-15-65	Green Island	1. Kure Atoll	Ground litter & soil under Scaevola, Sooty. Berleze
			Scale Vo Ta			11	"		11	11
						11	"		11	11
						RStanden	3-16-65	15	**	Blood + parasites from Body. Blood A Med Parasites from A-head, B-Body-Cwing Brook and Parasites from A-head, B-body, c-wing.
	1		Sosty Tern	-		R. Standen	3-17-65	1.3	1 1	Blood A red Parasites from A-head, B-Body-Cwing
	-	1	Diomedea nigripes	A	()	R. Standen	3-17-65		it	Brook and Parasite Lion A- head B- body, c-wing.
			n þ	A	U	R. Standen	3-17-65	,,,	**	Blood & Paranetes from A-head, B-body.
	1 4	151-10071	Fregata minor		U	A. Anderson	t)	11	11	Blood and parasites from a-head, 5-body, c-wing.
110		-				"	3-16-65	((11	Berleze from Laysan nest W/chick, Cent. roost.
			11			11	11	Ĥ	11	"
			It C)	11	11	11	†+	r.c	₹+	11
	. /	20453	Anus acuta	A	31	A. Anderson	3-16-65	1.4	4,	Parasites from body
			Diomedea nigripes	A		A. Anderson	3-18-65	t.c	**	Rload, botody - C-wing. Nest little from burrows, Central roost. Barleze
			Ptero droma hypo levea	A	U	1'	77	11	11	Nest little from burrows, Central roost. Barleze
	478	-	- 11	1(11	D.	n	11	H	11
1100	479		ji ti	11	1/	н	Tv	14	"	er er
		635-21303	Phaëthon rubicauda	A	U	R.Fleet	3-18-65	16	1,	A Body Bwmg T-Tail
		605-21959		u		* **	3-18-65	٠,	V-	
	487		Tribulus		_	A. Auderson	i t	ıţ	(1)	Litter \$ soil from dry Fribulus, Sooty tern area. Berleze
	183		1,		_	* 1	16	ti	11	II .
	484		11	_		it	11	- 11	1 (-	TV.
	185	20454	Anus acuta	A	8	R. Standin	3-19-65	i,	М	Body
	486	101	Verbacena	-	_	A. Anderson		11	1.1	Soil from Soody term area Berleze
	487		II .	-	_	11	lt	il	11	L)
	488		1.1		-	и	17	17	11	11 //
	489		Boerhaina (deal)	_	-	(1	3-70-65	11	L1	/1 //
	490		11		-	Vr.	ti-	1/	1 11	11
	49/		11	_	_	i r	11	11	t1	11
	492		Diomedia nigripes	N	4	· · ·	3-21-65	1/	ι /	Sand from nest,
S.L			I will the							

No.	Reference	Species	Age	Sex	Collector	Date	Locality		Collection Location; Remarks
493		Diomedia nigripes	N	U	A. Auderson	3-21-65	Green Island, Ku	ore Atoll	Sand from hest Berleze
494		11	11	11	-11	1/	/1	11	11
495	635-21305	Phaithon rubicanda	A	u	R. Fleet	3-22-65	4.1	4-4	Blood A-Body, B-wing, C-Tail.
496	635-21304	Phaé thon rubicauda	2.+	1.	1 r.	3-23-65	18	6-6-5	
497		Solanum	-		A. Anderson	3-22-65	18	. / I-	Berleze from Sosty tern area
498		H			i i	t (:	11	UT	11
499		£1	_		T i	1.7	- Ir	11	11
500	635-21309	Phaë thou rubicanda	A	u	R.Fleet	3 - 24 - 65		* 4	(a) Body wang tail Blood
501		Sula dactylatra	A	U	A. Anderson	3-23-65	7-1	4.7	Berleze from active nest
502	-	11	ti	11	71	17	1.1	37	21
503		17 11	f,	1+	**	i N	1+	1.1	77-
504		Gygis alba	ii	1/	R. Fleet	3-25-65	1.) i-	Parasites: a) body b) wrig c) tail
505		(ground litter)	7.	11	A. Anderson	Vr.	1.	1,4	Berleze from Sootly Tem area
506		***	L	11	r	tr.	* (j ı	
507		11 71	11	41	1+	(F	11	1.5	
	fus 605-21492	Phaethon rubricauda	11	71	R. Fleet	ts	1.	7.1	Parasites from a) body b) Wing c) tail
	635-21310	11	1)	11	11-	43	16	7.1.	TI TE
	635-21311	tv. Ty.	* 1	11	A. Anderson	1 (1.5	F 4.	The Fix Fix
	635-24312	II.	11	t (R. Fleet	11	71	11	14 14 14 21
	fw; 635-21313	tı tı	11	-11	To.	21	71	7.5	II II II II II
	fus 635-21314	11 11	n	a	A. Anderson	11	1.0	7.1	" a) head b) body c) wing d) tail
514	_	Sterna fuscata	A	07	R. Stander	3-26-65	34-	* *	" a) neck 13) tail.
515		II II	A		,		44.	+ *	" a) body be) toil
	615-09502	Pull in desir	A	V			**	+ 4	··· a) backy (4) wing
517	615-09659	1 1	. 11			<i>j.</i> +	**	**	" a) body a.) wing.
518		Tribulus		_	A. Anderson	3-25-65	ti	Ft	Berleze from Tris., Sooty tern area
519		17		_	11	+1	11	j. t	11
520		11	-		н	1.7	1.4	10	11
521		Pterodroma hypotevca	A	U	716	3-26-65	/1	11	Berleze from nest litter in burrow (dug out)
		1 porton							

No.	REFERENCE	SPECIES	ACE	Sex	COLLECTOR	DATE	LOCALITY	COLLECTION LOCATION, REMARKS
522		Pterodroma hypoleuca	A	U	A. Anderson	3-26-65	Green Island, Kure Atoll	Berleze from nest litter of Bonin burrow, (dug out)
523		11 11	-11	+1	1/	1.7	16	· ·
524		Sterna fuscata	A	9	R. Standen	3-27-65	re .	head
525	1	Puffinies pacificus	A	u	R. Standen	3-2765	4	Bleef Body
526		"	A	u	4.4	+,	k 9.	Body
	615-09149	/t w	yê.	4.4	ν.	4.		A head Booky Bled.
		Puffinies nativitates	A	и	is	11	4.	U. P. Gland
529		Boerhavia	-		A. Anderson	t)	11	Berleze from Sooty tern area
530		t.e		-		11	11	AT
531		14	_		11	L)	L.f.	11
532	635-21315	Phaethon rubricarda	A	U	R. Fleet	3-28-65	Χt	Parasites from a-body b-wing c-tail
533	635-21316	1) //	11	ti	+ 1.	* **	i.p	11
534	605-21411	11	11	ι_I	R. Standen	11	**	11
535	635-21317	Tt A.	11	£	A. Anderson	10		17
536	514-76659	Puffinus nativitatis	11	tt	W. Witz	3-29-65	*1	- "
537		Solanum		-	A. Anderson	3-28-65	11	Berleze from Sooty term area
538		11	-	_	1-1	17	1/	. 11
539		<i>¥1</i>	_	-	11	1/	1.0	tr.
540	635-21318	Phaethon rubricauda	A	U	R. Fleet	3-29-65	11	Parasites from a-head 5-body c-ung d-tail
541	635-21319	71 ×1	-/ *	10	R. Standen	17	tr-	
542		Solanom	-	-	A. Anderson	J+	· · · · · · · · · · · · · · · · · · ·	Soil from Sooty tern area Berleze
543		Puffinus nativitatis	_		11	A F	()	Soil + litter from roosting site which was nest 1964 - Berleze
544		11	-	-	1.1	11		in in
545	20459	Fregata minos	A	F	R. Flest	3-30-65	**	as head a) body. buil just comingints and plumage.
546	20460	11 11	A	F	R. Standen	3-30-65	11	(A) body (b) wing
547		Puffinus pacificus	11	U	A. Anderson	3-30-65	n-	Berleze from welgetail burrows -NAF
548		tr "II	17	1/	1.7	71	ĬI .	11
549	r	Ti ii	- tı	(/	£1	u	- If	-14
550	, -	Sterna fuscata	A		R. Fleet	3-31-65	4	a) head a) body.

	No.	REFERENCE	SPECIES	Place	Sex	CALLECTOR	DATE	LOCALITY	COLLECTION LOCATION , REMINERS
	551		(Ground litter)	_		A. Anderson	3-31-65	Green Island, Kure Atoll	Berlese from ground litter + soil (exposed), sootyternarea.
ı	552		Ų	_	-	TI .	n.	i.t.	11
г	553		-11			ii .	V 1	1 (11
Ш	554	20461	LARUS SP.	Inn.		R. S. Stendan	4-01-65	C.F.	a) head, (a) body, (c) wing.
	555	635-21321	Phaethon rubricarda	A	U	R.Fleet	1 11	11	Parasites from a - head, 5 - body, c-wing, d-tail.
H	556		(Ground litter)	_	_	A. Auderson		ϵ_{ℓ}	Top layer litter - twigs etc exposed area, Sooty terri, Borlege
	557		11			₹,	J.	- 17	Exposed area soil to 2" deep, Soutz fery Berlese
Ш	558		r-r	-		11	11	** /-	Top-layer litter + soil from same exposed area as 556+7-Berlese
	559		Tribulus	_		t _i	4-02-65	74	Soil from Tribulus, Souty tern area, Berlese
	.560		1/			ř.	" 1	9.7	
	561		1.1	_		4.6	"	Ţŧ	***
	562		(Ground litter)			t):	4-03-65	11	Top layer ground litter, Sook tem to crea Berlese
	563		4	-		Ħ	12	11	Exposed soil to 3"
	564		Ti-	-	_	t i	11	1 t	Top layer little + soil to 3" "
	565	-	Verbacena			(1	4-04-65	11	Berlese from Verbacena, Sooty ternarea.
	566		14	-	-	11	11	-ra	11
ı	567		11	_	_	11	11	7)	
	568		(Bare soil)		-	11	4-05-65	· · · · · · · · · · · · · · · · · · ·	Berlese from Soots tem area
	569		η	-	-	\$ /	10	J.F.	t_I
	570		11	-	-	l t	11	-ti	1/
	571		Diomedia nigripes	I	U	tr	4-06-65	-11	Berlese from nest, S. point
	572		11 11	"	"	- ()	0) i	. 11
	573		11	11	11	11	"	£.4	11
	574		Puffinus pacificus	A	U	70-	4-07-65	i e	Berlese from burrow, NAF
	575		η_{-}	17	11	()	1,	6-1	···
	576		h ti	11	.cr	-/+	1+	11	**
	577		(Bare soil)	-	-	41.	4-08-65	-1/	Berlese from uncovered ground, Sooty tern area.
	578		11	_	-	It	-Ut	.11	*1
	579		ϵ_T	_	-	11	12	T T	Ti.
	THE RESIDENCE OF THE PARTY OF T								

.

	No.	Reference	Species	Age	Sex	Collector	Date	Locality	Collection Location; Remarks.
IN	, 580		Diomedea immutabilis	I	U	A. Anderson	4-09-65	Green Is Kure Atoll	Berlese from Laysan nest, cent, roort.
	. 581		+n * Z+	TA	41	٧,	£1	ir	**
	582		ri ri	11	· 6. 3 .	£ q	1.	11	
	583		(Bare ground)	-	_	F +-	4-10-65	4 U	Berlese from Sare ground, Sooty tern area.
	584		in the second se	_	_	t i	1.5	t.i	-11
7	585		ti-			I.)	1,	Ť(**
	586		11	-	-	11	4-11-65	71	·,
П	587		(1		-	71	71	4,	*, .
Ш	588		1)	-		11	· i	-71	T e
1	589		Boerhavia			11	4-17-65	11	(around Boerhavia)
П	590		te			Ti	t/	11	+1
	591		11			11	77	Tr.	**
	592		Solanum			11	4-13-65	*1	" 50/2 h Vm +1
	. 593		1)	-		(r	41	**	tr. +/
	.594		11-			11	LI	TT	++ + + + H
	. 595	635-21335	Phaethin subricanda	A	U	R. Fleet	4-15-65	* *	a) to body, a) wing c) tant
П	596	635-21336	21 27-	A	U	11-	/1	14	a) andy a) wing c) tail.
	. 597	737- 92926	Fregata minor	A	9	a. anderson	4-16-65	<i>ii</i>	a) feet a.) wing
	598	737-92927	11 11	A	07	11-		4.0	a) body wing.
	599	FN 20464	Paffines pacefines.	A		R. FLEET	W-16-65	A	a) body; made into 5kin &
	600		(Bare ground)		_	A. Anderson	4-15-65	. į	Berlese from bare ground, sooty tern area
	601			-	_	4	17	11	
	602			-	,T	Tx	4.7	<i>← C</i>	
	603		Diomedea immotasilis	I	U	.71 -	4-16-65	17	Berlese from hest
	604	-	11	li	-11	41	"	l _f -	· ·
	, 605	1	Diometer nigripes	17	11	b t	H	Tie	11
			Pulmus nationtatus	A	u	w.o. wintz	4-18-65	-11	a) wings
	607		(Bare sand)	-		A. Anderson	(e	t.	Berlese from sooty tern area
	. 608		T.r.	_	_	,n	14	-4 £	→ f
-				Sterenson	1255E				

	No.	Reference	Species	Age	Sex	Collector	Date	Locality	Collection Location; Remarks
A V	609		(Bare ground)	_	-	A. Auderson	4-18-65	Green Is. Kure Atoll	Berlese from Sooty tern area.
	610		Diomedea immutabilis	7	U	4	4-19-65	1,	Berlese from Laysan hest.
	611		n 0	1+	17	11	*/	1,	"
П	612		11.	**	r,_	7/	-112	1	11
	613		<i>t</i> +	1,	-/a	1.1	7.,	· ti	1/2
H	614		(Bare soil)		_	-/ 1	4-20-65	11	Berlese from bare soil, Sooty term area.
Ш	615		4	_	_	"	11	17	11
Ш	616		41	-	_	14	11	-11	**
	617	605-21971	Phaethon rubricanda	A	U	R. Flust	4-21-65	**	a) body (4) wing (1) tail
	618		(Bare soil)		_	A. Auderson	*/	11	Berlese from bare soil, Sooty tern area.
1	619		11		_	4	1,		-11.
11.	620		n.			11	11	11	12
Ш	621	514-76661	Puffmin nativitation	17	U	R. Just	4-22-65	11	from body.
	627	635-21347	Phaethon submanda	A	U	**	4-23-65	ee.	a) body, b) wing c) Tarl
			Phaethon mbrianda	A	U	<i>a</i>	**	e+	a) body a) wing, c) tail
H.	624	65-10112	Phoethon subricance	R	V	. 5"	e*	v	a) body b) wing c) tank
	625		Phaethon publicanda	A	U	**	₹*	· te	afbody 6. Juring c) tail
Ш	626		Sula dacty latra	A+N	#1	A. Anderson	4-22-65	-/1	Berlese from nest (w/chick)
11	627		ti vi	1/	11	t o	H	4.0	11
	628	-	II. Ji	<i>f</i> -	Ťε	14	J i	± A ₁ .	T.E.
		605-21970	Phadhar rubricanda	7	U	R. Flut	4-23-65	++	a) body 6) tail
10		635-21351	Phaethon rubicanda	17	U	,,	4-24-65	v	a) body, a) wing c) tail
	631		Rattus exulans	A	0	A. Auderson	4-23-65	i f	Berlese from nest, South point.
	632		-tr	ti	17	-17	14	11/	4.7
	633		- CT	TI	I.	1.1	n	1	
	634	-	Puffinus pacificus			N HERYFORD	4-24-65		Berlose from nost, north antenna field
	635	_	п		-	H.	71	n.	April 19 Apr
	636	-	₹n-		-	ч	4	4i	
	637	M. I- 91	Sooty Torn Mesting area			N. HERTFORD	4-26-65	te	Berlese from bare sand, CRA#1
Section.	1.		1	a increase a record					

4	No.	Reference	Species	Age	5ez	Collector	Date	Locality	Collection Location; Remarks
	€38	H. I-99	Sooty Tern nosting Area	+	1	N. HERYFORD	4-26-65	Green Is. Lkure Atall	sand in contral roosting area #2
	639	NI. I=100	11 —	_	*	1¥ "	4	H.	sand in " #3
	640	H1. I-101	Rattus exulans	I	U	N. Heryford	4-27-65	V-	found in soil analysis pit near central roosting area
	641	NH. I-103	Sooty Aern Nesting Area	_	-	N. HERIFORD	4-29-65	и	sand in central roosting area # 1
	642	N. I-104	- 11	-		N a	N-	eq.	
M	643	NH. I-105	11		_	⊙n'	л	ú.	n
Ш	644	XI. I-108	- 1	-	_	N. HERTFORD	3 May 1965	я	sand under sooty tern egg - Borlese
Ш	645	M I-109	+ 4	-	-	1,	*4"	4	and the second s
	646	NH I-100	- н-	-	-	h-	10	4.	control for two priver sample, send naturaler ogs - Berlese
	647	773-19036	Sterna fuscata	A	ц	Bratley Heryford	€ 6 May 1965	*r	a) body, b) wing more from tail
Ц	648	793-94503	-EF	A	ц	11	1,	4r	a) body, b) wing " "
	649	813-91144	Ay.	4	И		17	(1	a) body, b) wing " " "
	650	773-19712	41	Д	ц	1/	0	17	a) body, b) wing " " "
d	631	793-96710	**	··/	11			ιį	a) body, b) wing c) tail
Ш	652	793-21308	71	70	ч	7	4	· ·	a) " b) " e) "
	653	793-21312		t)	11	H	4	W.	b) wing c) tail
Ш	654	813 - 91174	-tř	tr	17	t _t	nt.	77-	a) body b) wing
	655	793-21310	f t	0	77	4	10.	-//	a) body b) wing =) tail
	656	793-2/3//	t!	ly	N.	·v	4	·IF	a) " b) " c) "
	657	793-21309	11	17	14	**	и	4	a) wing b) tail.
1	658	N1. I-111	Souty Tern Nest area	-	~	M. HERYFORD	10 May 1965	4	berlese sample under souty term x19 - near plot A
	659	M I-115	- 11	-	-	74	44	24	berlese " " B
	660	H. I-113	- 11	-	-	1,		4	sand from possible nest site for 57 - " C
	1 661	M. I-115	Steina fuscata	A	q	N HERYFORD	14 May 1965	n-	a. From tril forthers b. from primary Foothers; no nasal mitter
	, 662	H. I-116	Souty Fern Nest area	9	-	11	16 May 1965	-ia	soil under soot, tern egg - near plot A
	663	M. J-117	- 41	-	-	:41:	1)	-n	soil " " B
	664		- 27	-	÷	+	n.	· ₁	soil 12" from sooty tern egg - near plot c
	665	MI. I-119	R.T. Tropicbird nest study area	7.8	-	4-	18 May 1965	st.	Berlese sample from Redtailed topic bird nesting area
	666	H. I-120	- n	-	-	46		H.	
	.	1	1		L				

	No	REFERENCE	S pecies	AGE	Sei	(COLLECTOR	DATE	LOCALITY	COLLECTION LOCATION, REMARKS
	667	N. I-12¢	RT. Tropisbird Nest study area.	-	-	N. HERYFORD	18 May 1985	Green Is. Kure Atoll	Berlese sample from Red tailed Tropic bird nest, same area as 666
		NH I-122		(-)	U	N. HERTFORD	19 May 1963	7)	mite from primary wing feather
	669	NL I-123	Sooty Torn Nest area	-	-	i,	N	Mr. w/s.	Berlese sample; under soot, term egg
		NH, I-124		-	-	-1)	М	- P	
	671	M. I- 185	- 11	-		:1	٧	To the	4,
1	672	737-92931	Fregata minor	Imm	U	Bratley - HER-IFORD	20 May 1915	1541	mall ophasa on head
		737-45496		•	- Ca	"	1Ú	ii u	Feather mites on primaries
		737-92932		11.	11	- No	*	ry P	mites and mallophoga on primaries
	675	737-92930	7/.	11	u-	-54	h)	10	mites on primaries
		737-95869		×t		-п.	jn.	- Age	mites on primaries
1	677	737-92928	0-	4).	1/	n.	п	·* #	(a) mallophaga on head; (b) mullophaga on primaries
		737-92929	41.	Inm	U	Vr.	11	Tic Tic	lice at base of primaries
		737-92933		5	M	H	н	H1 15	mallophaga on primaries
		USNW 20475	Anous stolidus	事用	F	Brattey-Herriford	21 May 1965	-40	mallephaga + mites on primaries
		U5 N 26474	11	A	F	Le	40	A+-	mites on primaries
	682	793-20902	41	A	U	it -	¥	· N	14. 25. 21
	683	793-26911	THE	A	U	Al-	u	ię	79. ·· · · · · · · · · · · · · · · · · ·
	684	793-20912	70	F)	V	4.	ji.	Ap.	(a.) mallophaga on tait, (b) mallophaga on secondaries
	685	M. I-126	Sternal fuscata	A	U	HERYFORD	25 May 1965	·fa.	quill mites from primaries
	686	NH. I - 127	Lym Diomedia immutabilis			. 11	41	A.	Berlese sample - littler from nest under Layson Albatross chick
	687	NH - T -128	1/			4-	iii	· ·	" - litter under Layson Albatross chick
	688	NH. I-129	11			Ţ).	×	A.	And the state of t
	689		Phaethon rubneauda	A	u	HERYFORD	25 May 1915	13	mites from (a) primaries, (b) secondaries, & breast and Belly, (d) gg cases from back
	690	M I-131	Diomedia immutabilis			16	27 May 1965	4	litter from Layson Albatross nest under chick
	1	H I-132	11			er	14.	St.	THE STATE OF THE S
		M I-133	11			· tr	<i>n</i>	20	(A) mallophage from
	-		Sula sula	A		Butley - HERYFORD	27 May 1965	(j	(a) mallophaga from frontedge afering, (b) mallophaga in secondaries
		F+W737-92935	(A) May	4		4	4	ı	mallophaga on nect
	. 695	F+W 737-98465	4	*6:		4	V	*	mite from neck feather
	1	- 1			1	A			

### September Sola Sola Sola 9 Brokey Harden 2 Transporter Some To France 1961 September as mark 60 mellinghings as governors of the Sola Sola Sola Sola Sola Sola Sola Sola		No.	Reference	Species	Age	Sex	Collector	Date	Locality	Collection Location, Remarks
Company Comp									Green Is., Kure Atoll	(a) mallophaga an neck, (b) mallophaga on primaries
### 1997 1998 1998					±x:		9.	ī.	A.	
1997 1997		698	739-92290	Fregata minor	A	M	Bratley - HERTFORD	27 May 1915	44	
701 100 100 100 100 100 100 100 100 100					144	н	re-	4	- 47	
701 Story 1988 702 M Tree 1988 703 M Tree 1988 704 M Tree 1988 705 M Tree 1988 706 M Tree 1988 707 M Tree 1988 708 M Tree 1988 708 M Tree 1988 709 M T					I	U	→ ₁	-	v,	mallophaga on broast feather
769 14 7-139 Personal material section of the control of the contr	1				A	u	37	28 May 1985	27	mallophaga an neck feather
705 PM 15-135		702	737-91681	11	25	-ty-	4,	*	N.	** ** **
705 AN 5-132 11 706 AN 5-137 Dimedia immediality 707 AN 5-138 11 708 AN 5-139 11 709 AN 5-138 11 709 AN 5-138 11 709 AN 5-138 11 709 AN 5-138 11 709 AN 5-138 11 709 AN 5-138 11 709 An 5-138 11 700 An		703	NH. I-134	Puffinus nativitatus			HERTFORD	30 May 1965	110	Brander roosting Christmas Is. Shearwater.
706 All E-137 Dimetric immetability 708 All E-139 709 All E-139		704	NH. I-135	Tr.			No.	tr.	49	B. s. under sooty town egg.
700 M EAK 1139 " 708 M TIME Annus etclicks " 1 Increase T maker common with the ess in most back duner to the EAC T maker common with the ess in most back duner to the EAC T maker common with the ess in most back duner to the EAC T maker common with the ess in most back duner to the EAC T M		705	NH. I-136	t t				Ja:	+	
768 H; 2138 " 10		706	NH. I-137	Diomedia immutabilis			1/4	31 May 1965		B. s. under chick in Layson Filhertross nest in NAF
707 AM 3-140 Anong stoletus " I large 1665 " Anong stoletus " I	(-		-1	4	9-	
The p4 EM M EM M EM M M M M M M M M M M M M M		768	N4. I-139	**			a	j-	NgL.	B s.
THE DIFF. THE TO THE TO THE TOTAL TH		709	NH, I-140	Anous stolidus	-		14	1 June 1915	*/-	under common worldy term ess on west beach dunes.
112 At INT 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		710	NH. I-141	t į			TE.	4)	- 47	man n
713 M. I-144 " 714 M. I-145 " 715 1-1573 Soula sala F U Bratter-Acresso " 716 7-37-7-6849 " 717 1-1573 Soula sala F U Bratter-Acresso " 718 20450 " 718 20450 " 719 20450 " 710 1-1574 20450 " 711 20450 " 712 7-37-9245 " 712 7-37-9245 " 713 7-32455 Sula sala B U " 714 Martin Ma	1	711	NH. I-142	()			77	15	ri .	
714 N. I.I.I. " 715 FELLO TIS SALA SALA FI U BANHEY-HERVERRO " 716 FELLO 757-75889 " 717 FELLO 75889 " 718 20480 " 718 20480 " 719 20480 " 719 20480 " 710 Toylor 20482 Freyer winor I Imm FT " 710 Toylor 20481 " 711 Toylor 20481 " 712 Toylor 20481 " 713 Toylor 20481 " 714 Toylor 20485 " 715 Toylor 20485 " 717 Toylor 20485 " 718 Toylor 20485 " 719 Toylor 20485 " 710 Toylor 20485 " 711 Toylor 20485 " 712 Toylor 20485 " 713 Toylor 20485 " 714 Toylor 20485 " 715 Toylor 20485 " 717 Toylor 20485 " 718 Toylor 20485 " 719 Toylor 20485 " 710 Toylor 20485 " 710 Toylor 20485 " 711 Toylor 20485 " 712 Toylor 20485 " 713 Toylor 20485 " 714 Toylor 20485 " 715 Toylor 20485 " 717 Toylor 20485 " 718 Toylor 20485 " 719 Toylor 20485 " 710 Toylor 20485 " 710 Toylor 20485 " 711 Toylor 20485 " 712 Toylor 20485 " 713 Toylor 20485 " 714 Toylor 20485 " 715 Toylor 20485 " 717 Toylor 20485 " 718 Toylor 20485 " 719 Toylor 20485 " 710 Toylor 20485 " 710 Toylor 20485 " 710 Toylor 20485 " 710 Toylor 20485 " 710 Toylor 20485 " 711 Toylor 20485 " 712 Toylor 20485 " 712 Toylor 20485 " 713 Toylor 20485 " 714 Toylor 20485 " 715 Toylor 20485 " 717 Toylor 20485 " 718 Toylor 20485 " 718 Toylor 20485 " 719 Toylor 20485 " 710 T		712	M. I-143	tr			ñ	June 3, 1965.	1	er e
715		713	NY. I-144	i.			*6-	71	-W	*
715 737-45313 Sala sala F U Bratter-derverord 116 737-95899 117 1437-92895 118 20480 119 20480				ti			-4	.4	*	, on inland side
718 20480 " " " " " " " " " " " " " " " " " " "		715	737-45313	Sula sula	A	U	Bratley-HERYFORD	r _t ,	Uy	(a) malkphasa - nack , (b) mitos en primarios
718 20480 " " " " " " " " (a) lier in arck (b) analliphis a straight of the st				1/4	ę.	-44	1-	4	4	(9) "
718 20480 719 20482 719 20482 Fregata minor Than F 11				11	r é	41	4/	4	*	mallophaga m stomach area
120 0.5-All 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		718	20480	Di.	-37	1.	Tr.	7	h-	(a) lice on neck (b) mallophes a stomach
721 737-92953 " A F " " " mitrs on primary 721 737-92951 " I U " " " mallophaga m breast 723 737-92955 Sula sula P U " " mitrs on primary			2048Z	Fregate minor	Imm	F	+ 5.	*1	-te	(a) mallophasa on upper neck; (b) louse on primary
722 737-92951 " I U * " mallophaga ~ breast 723 737-92955 Sula sula # M metes an primary *** *** *** *** *** *** *** *** *** *			20481	46		W)	74	0-	Ve.	fict on primaries
723 737-92955 Sula sula A U " " mites an primary				Ay	A	F	u _e	*	*(mites on primary
- 98364				-of	I	U	74	u _k	- 1,	mallophaga m breast
724 737 - 98569 11 mallanhase hourt				Sula sula	A	U	es.	h	44	mites an primary
The principal on prease		724	737-98364	-tr	P	- 0	4	u.	M.	mallophaga en breast

N	No	Reference	Species	Age	Sex	Collector	Date	Locality	Collection location; Remarks
	725	737-92461	Sula sula	P	U	Bratley-HERYFORD	4 June 1965	Green Is, Kare Atoll	mites on primary
1	726	737-92956	Se-	n	ŧ)-	N ₁	ly-	tq.	(a) mites an primary, (b) live on breast
П	7257	FXW 737-98175	-11	*1	÷0-	r	è.	v.	mites on primary
П	728	F+W 737-92961	Fregata minor	Imm	19	7 a	dy.	Pr -	mallophaga on head
	729	F+W 737-92958	Wg .	Imm	F	-tr	44.	ry.	Hippo bosid Fly
M	730	WI I-146	Sterna Suscuta			HERTFORD	7 June 1965	- 61	onder sooty tern chick in rentral voost
	731	NH_ I-147	1.7			HER-1FORD	4	A g.	4-
	732	NH. I-148	1f			-0-	-61"	3.4	H-
			Fregata minor	I	U	Bratley-HerryFoo	7 June 1965	Au.	lice from week
	734	737. 92964	19-	A	M	247	q	18	hippobosid
ı	735	737-92965	eq.	T	U	3,	N	46	
	736	737-45463	"	I	U	6.1	4	4	mallophaga trom neck
	737		Anous stalidous	A	U	Bratley	E June 1965	es.	loose from back
	738		Freguta minor	A	F	Bratley	11	-11	two hippobosids and one mallophaga m back, a nest
Ш	739		in .	A	F	at.	St.	*0	Found walking over concrete in front of lab.
1	740		Insect: Order orthoptera	28		Bratley	14 June 1965	11-	
	741		Diomedia immutabilis nest			n	14 June 1965	• 1	under Layson Albatross chick in nest-behind fuel tanks Berlese
	742		3.0			Н	11	1.	- 11 Berlese
	743		ii -			·· · · · · · · · · · · · · · · · · · ·	· · · · · ·	It	
	744		H			11	15 June 1965	fr.	н
	745		μ			H	ч	t/	n to
	746		14 - "			tr	11	d	III se
	747		Sterna fuscata nest area			"	16 June 1965	(1)	under Souty Tern chick in central Roost "
	748		* " " " " " " " " " " " " " " " " " " "			4	.1	11:	Tr ··
4	749		- "			11	11	11.	
	750		Sula dactylatra mest			-t/	17 June 1965	11	under Blue-Jaced Booky chick in north antenna field "
	751					11	(1	11-	If te
	752		11			1/	tr	ı,	Tr.
,	753		Phaethon rubricanda mest			**	18 June 1965	· · ·	under Red-tailed Tropic bird egg in study area Berlese
		71							

No.	Reference	Species	Age	Sex	Collector	Date	Locality	Collection location; Remarks
754		Phaethon rubricanda nest			Bratley	18 June 1965	Green Is, Kure Atoll	under Red-tailed Tropicbird egg in study area Berlese
755	-	Tt .			"	4	11	u u
756		Anous stolidus nest			ti	19 June 1965	4,-	under Noddy Tern egg of south point colony "
757		17			14	*/	*1	11
758		11			r _t	11	×+	te ta
759		Diomedia immutabilis nest			41	21 June 1965	H	under Laysan Albatross chick in NAF nest "
760		**			1,	4/	H-	eg te
761		il			e _t .	2+	4	r ₁
762		Sterna Juscata	A	и	ft	11	11	mallophaga from meck
763		77	A	u	r _t	1.1	1.1	in the second se
764		14	A	и		**	* *	a) head b) body c) wings
765		1	A	4	- 11	*,	11	a) head
766		- 11	A	4	t i	it	14	a) head
767	Faw	"	A	и	11	÷e ·	u	a) head
768	773-19718	п	A	и	ti	*.	ri .	a) head b) body c) wings
769		Diomedia immutabilis nest			Þ	22 June 1965	17	under Laysan Albatross chick innest, nearlab Berleve
770		t.c.			1,	M	f e	17.
771	F+W	< f			4	I e	<i>b</i>	tr. 1
772	793-96533 F+W		A	u	н	n	"	a) head b) body c) wings Field No. 20484
773	793-20914	**	A	u	1.1	*1	**	a) head
774	793-20915 F+W	4	A	u	1(tr	t e	a) head b) wings + tail
775	753-32561 F+W	u ()	A	u	II.	*	· ·	a) tick on broad patch (embedded)
776	793-20916		A	и	tr	***	-ti-	a) head b) wings + tail
777		Diomedia nigripes nest			lt.	23 June 1965	"	under Black-Jooted Albatross chick in nest on South point Berlese
778		11 6			11	t)	.,	11
779		W.			t_1	u	11	11
780	-	Puffinus pacificus nest			1/	24 June 1965	l _r	in Wedge-tailed Shearwater burrow - no egg NAF "
781		tr			11	11	11-	- under egg " " t
782		ıt			η	te	٧,	- under egg " "
Carlotte III					AND PERSONS ASSESSMENT			

No. Reference	Species	Age	5ex	Collector	Date	Locality	Collection location; Remarks
783	Sula leucogaster nest			D. A. Bratley	25 June 1965	Green Island, Kure Atoll	under Brown Booby egg in north antenna field Berlese
784	- 11			T/	n	η	n n
785	- / 1			34	-11	· v	11
786	Sterna fuscata nest			i.f.	26 June 1965	41	under Sooty Tern chick in central roost "
787	41			i.	-11	1)	in the state of th
788	- Co			-64	, (T.s.	t t
789	Sula dactylatra nest			17	1 July 1965	+	under Blue-faced Booky eggs in north antenna field "
790	tr			t _i	1 July 1965		N Y
791	11			11	"	7 6	11
792	Phaethon rubricanda	A		**	t _t	ię	a) head b) body c) wings * tail
793	Diomedia immutabilis nest			*1	2 July 1965	tr	under Laysan Albatross chick in morth antenna field Borlese
794	tr.			i,	11	4	"
795	,,			-ts	t _t	i.	1,
796	Phaethon rubricanda nest			11	3 July 1965	"	under Red-tailed Tropic bird chick in study area "
797	r _I			10	"	-11	11
798	**			71	21	"	11
799	Sterna Fuscata nest			Tr .	5 July 1965	1/	under Sooty Tern chick in central roost "
800	11			15.	12	./.	47
801	· ·			4-	27	14	···
802 793-20923	Anous stolidus	A	u	1+-	п	ij	a) body b) wings
1	A1.	A	u.	že.	11	11	a) body b) wings
804	Anous stolidus nest			e ₁	6 July 1965	11	under Noddy Tern chick along runway Berlose
805	17			11	11	11	
806	11			q	n	16	**
807	Puffinus pacificus mest			W	7 July 1965	· te	under egg in Wedge-tailed Shearwater burrow of North antennation
808	"			11	1	"	II II
809	ii e			1/	4	4	14
810	Fregata minor nest			1/	8 July 1965	le .	under chick in Great Trigotebried nest in north ion
811				1/		t,	11 11 11 11 11 11 11 11 11 11 11 11 11

No. Refere	species	Age Sex	Collector	Date	Locality	Collection location; Remarks.
812	Viregata minor nest		D. A. Bratley	8 July 1965	Green Is, Kure Atoll, Hawaii	under Theat Migatebied chick in mosth roost Berlow
813	Sula leucogaster mest		n	9 July 1965		under Brown Booky chick in north antenna field
814	"		11	-/1	"	tt a
815	"		4	11	"	11 "
8/6	Diomedia immutabilis nest		И	10 July 1965	-0	under Laysan Albatross chick in fuel tank area "
817	**		r _i	· ct	i.	-1/-
818	**		4	1.	11	11
819	Sterna fuscata nest		11	12 July 1965	1,	under Sooty Ternchicks in northeast colony "
820	- Fr			11	q	· · · · · · · · · · · · · · · · · · ·
821			i,	Ti Ti	6,	er er
822	Diomedia immutabilis nest		n	16 July 1965	11	under Laysan Albatross chick in north antenna field "
823	16		54	tı	"	F1
824					4	r _e
825	- At		4	17 July 1965	· ·	under Laysan Albatross chick in south antenna field"
826	· · ·		· A	41	4	11
827	11		4	11	i p	11
828	Sula dactylatra nest		11	19 July 1965	4	under Blue-faced Booby chick in north antenna field "
829	"		-13	17	4,	The state of the s
830			**	"	4.	re-
831	Phaethon rubricauda nest		te.	20 July 1965	ie	under Red-tailed Tropicbiod chick in study area "
832	1,		4	11	to the state of th	"
833	11		4	11		*** n
834 793-209	740 Anous stolidus	Au	et	1/	1/	ectoparasites from wings
835 793-965	06 11	Au	н	4	u	" from wings + tail
836	Anous stolidus nest		, cr	al July 1965	16	under Com. Noddy Tern chick on West beach Berlese
837	н		ti.	"	6	or eff
838	11		<i>H</i> -	4	11	H. de
839	Sula sula nest		11	22 July 1965	ų.	under Red- Jooked Booky chick in central roost"
840	34		ų	11	t _r	H- te

	No.	Reference	Species	Age Sex	Collector	Date	Locality	Collection location; Remarks
	841		Sula sula mest		D. A. Bratley		Green-Kure Atoll, Hawaii	under red-footed Booky chied in contral roost.
N	842		Sula leucogaster nest		11	23 July 1965		under brown booky chied in month antenna field
	843		'11		,,	11	it-	**
	844		14.		1,	31	"	F1 4.
	,845		Sterna Suscata nest		11	24 July 1965		under sooty ten chied in northeast colony "
A	,846		tr-		.01	47	- i	31/
	847		I _L		4		re.	41
	848		T)		17	26 July 1965	11	under sooty tem chick in central roost "
	849		· r		te	"	£e.	11. 74
	850		TI.		7.1	11	d i	ti u
	851		Puffinus pacificus nest		11	27 July 1965	И	under wedge-tailed sheamoter egg in north anteringfield
	852		1,		11	"	n e	<i>H</i>
	853		17		11	*1	11	11
	,854	-	Sula dactylatra nest		11	1 Aug 1965	11	under blue faced booky chick in north anterna field "
	855		If		34	н	er .	11
Ĭ,	856		4		4	11	*A	A) Ag
	857		Phaethon rubricanda nest		n ,	3 Aug 1965	-/6	under red-tailed tropichied chick in study area "
	858		"		**	ı _t	4	19
	859		-		11	It	ч	71
	860		Anous stolidus nest		- QF	4 Aug 1965	*/	under common noddy ten chiek in north antenna field "
	861		·r		1+	- 4		t _t
	862		· (41	٤,	"	"
	863		Sula leucogaster nest		11	5 Aug 1965	ti	under brown booky chied in south antenna field "
	864		· ·		\mathcal{H}	**	ii.	-0.
	865		11		11	n.	4	ec n
			Anous stolidus	Au	rif.	II	ŤI.	a) head-body b) wings-tail
	867			Au	11	ħ,	H	a) head b) wings
	868		Sterna fuscata nest		61	6 Aug 1965	l)	under sorty tern chick in northeast colony Berlese
	869		· c ·		l (i.	· · ·	46
1		L said						

870	sterna fuscata mest	Sex Collector D. A. Bratley	Date 1915		
87/	11	D. H. Dralley	7 A 1917	Creen Island, Kure Atoll, Haunii	under sooty ten chied in northeast colony Berland
872			1 Aug 1165	11	" in central roost "
873	tı.	41	10		4 4
		le le le le le le le le le le le le le l	2 1	"	"
874			9 Ang 1965	1,	under sooty ten chick in east along "
875	11	47	*1	',	11 11
876	0.00: 10:	"	· · ·	· ·	ti ti
877	Puffinus pacificus nest	- ''	10 Aug 1965	1)	under wedge-tailed shearwater chick in north automy of
878	14	4		n	· · · · · · · · · · · · · · · · · · ·
879	- 1	· ·	ri.	4	**
880	Fregata minor nest	И	11 Aug 1965	i _l	under great frigatebrid chiek in north roost
881	п		ej.	4	under great frigatelied chick in north root
887	ir.	1,		<i>"</i>	16
883	Anous stolidus nest	11	12 Aug 1965	- At	under common noddy tern chick in south pt. colony
884	-11	"	11	,	"
885	17.	11	11	ii-	ii ii
		"			
			Ī		
		-			

الميلة الم	No.	Reference	Species	Age Sex Collect	for Date	Locality	Collection location; Remarks
	8 8 8 8 8 8 8 9 8 9 9 9 9 9 9 9 9 9 9						
	ξ 8						
	£ £						
		-					
	8 ·						
	8.						
	8						
	ξ ξ						
	8 8						
	\\ \\ \				-		
	ξ δ						
	8						

			·					
. J.	No.	Reference	Species	Age Sex	Collector	Date	Locality	Collection location; Remarks
	ξ							
	8							- 1
	8	-						
	8							
	5							
	£							
	8			-				
	٤	-						
	į.							
	8			-				
	8							
	8			-	-			
18	8							
	8							
	8							
11	8							
	{		-					
	8			-				
1	8							
W.	8							
40	8							
T)	8							
18	٤							
	8							
	8							
	٤							
	8							
	8							
	Company of the Compan							

